




Tavola	Posizione	Codice	Quant	Ing
--------	-----------	--------	-------	-----




1	1	T1P52MI-A-011200	1	LH Crankcase
1	2	T1P52MI-A-011300	1	RH Crankcase
1	3	T11119	1	Crankcase gasket
1	4	TOR00037	4	Screw M5×6
1	5	T1P52MI-011400	2	Bush
1	6	T11118	2	Locating bush Ø10×14
1	7	T152MI-011600	1	Oil inlet hose
1	8	T11124	2	O-Ring 9X1,7
1	9	T152MI-021019	1	Bolt M6X12
1	10	T1P52MI-A-011005	2	Stud bolt
1	11	T1P52MI-A-011004	2	Stud bolt
1	12	T172MM-060002	1	Bearing 22X50X14
1	13	TOR00027	1	Bearing 6202
1	14	TOR00025	1	Bearing 6004
1	15	T152MI-011500	1	Bush
1	16	TOR00059	1	Oil seal FB22X35X5
1	17	T152MI-011002	1	Oil seal 25X40X8
1	18	T1P52MI-A-011800	1	Filter support bracket
1	19	T11118	2	Locating bush Ø10×14
1	20	T152MI-011017	5	Bolt M6×60
1	21	T1P52MI-011018	1	Bolt M6×70
1	22	T152MI-011015	1	Bolt M6×100
1	23	T1P39MB-022306	1	Joint.p. 6×30
1	24	T1P52MI-A-011006	1	Bolt M6×105
1	25	T1P39MB-012006	2	Bolt M8×50
1	26	T1P39MB-012005	3	Bolt M8×45
1	27	T152MI-021016	1	Washer Ø8
1	28	T1P39MB-012003	1	Plug M8
1	29	T1P52MI-A-011007	2	Bolt M8×55




2	1	T1P52MI-A-012002	1	Crankcase cover gasket
2	2	T1P52MI-A-012001	1	Crankcase cover LH
2	3	T1P52MI-A-012201	5	Cover sec. screw
2	4	T1P52MI-A-012003	1	Packing
2	5	T1P52MI-A-012103	2	Bush
2	6	T1P52MI-A-012101	1	Filter box
2	7	T1P52MI-A-012104	1	Filtering element
2	8	T1P52MI-A-012102	1	Filter case cover
2	9	T1P52MI-A-012004	2	Bolt M6x18
2	10	T1P52MI-A-012202	5	Puffer




3	1	T1P52MI-013001	1	Crankcase cover RH
3	2	T1P52MI-013005	1	Crankcase cover gasket
3	3	T152MI-011017	2	Bolt M6×60
3	4	T152MI-013010	2	Bolt M6×50
3	5	T152MI-013008	2	Bolt M6×35
3	6	TOR00037	1	Screw M5×6
3	7	T152MI-013009	6	Bolt M6×40
3	8	T152MI-021009	1	Packing for cap
3	9	T152MI-021008	1	Plug
3	10	T152MI-013004	1	Spring
3	11	T152MI-013014	1	O-Ring 35×3
3	12	T152MI-013003	1	Oil filter plug
3	13	T152MI-013012	1	Water outlet union
3	14	T152MI-013006	1	Breather pipe
3	15	T152MI-013013	1	O-Ring 18×3
3	16	T152MI-013002	1	Oil dipstick
3	17	T152MI-021005	2	Locating bush Ø10×14
3	18	TOR00073	1	Clamp D12.5
3	19	T1P52MI-A-013007	1	Breather tube
3	20	T152MI-013100	1	Oil filter
3	21	T152MI-021014	1	Washer Ø12
3	22	T172MM-013005	1	Oil exh. plug M12×1.25




4	1	T1P52MI-A-021006	1	Cylinder head cover
4	2	T1P52MI-A-021021	1	Packing
4	3	T152MI-080008	2	Locating bush Ø8×14
4	4	T1P52MI-A-021011	1	Cylinder head cover gasket
4	5	TOR00001	1	Washer Ø6 D·Cr
4	6	T1P39MB-021200	2	Packing
4	7	T1P52MI-A-021022	2	Cylinder head sec. bolt
4	8	T1P52MI-A-140002	1	Air intake pipe
4	9	TOR00075	2	Clamp A18
4	10	T1P52MI-A-141000	1	Check Valve
4	11	T1P39MB-140001	1	Valve bracket
4	12	T1P52MI-A-140005	1	Air intake pipe
4	13	TOR00076	3	Clamp A16
4	14	T152MI-021019	1	Bolt M6X12
4	15	TOR00061	2	Bolt M6×14-D·Cr
4	16	T1P52MI-A-140006	1	Breather tube
4	17	T1P52MI-A-140003	1	Crankcase breather
4	18	T1P52MI-A-143000	1	Cylinder head breather valve
4	19	T1P52MI-A-142001	1	Air filter
4	20	T1P52MI-A-142002	1	Retainer
4	21	T1P52MI-A-142003	1	Filtering element
4	22	T1P52MI-A-142004	1	Air cleaner cover
4	23	T1P52MI-A-022023	1	Valve bracket




5	1	T152MI-023001	1	Chain shoe
5	2	T152MI-023200	1	Chain shoe
5	3	T152MI-023300	1	Timing chain tightener
5	4	T152MI-023305	1	Washer Ø8.5
5	5	T152MI-023306	1	Spring
5	6	T152MI-023007	1	Bolt
5	7	T152MI-023004	1	Chain tightener gasket
5	8	T152MI-022400	1	Timing chain
5	9	T152MI-023006	1	Pin
5	10	T152MI-023008	2	Bolt M6×18




6	1	T1P52MI-A-024100	1	Camshaft
6	2	T152MI-040010	1	Spring
6	3	T152MI-040011	1	Oil channel joint
6	4	T1P52MI-A-024002	1	Pinion
6	5	TOR00067	2	Circlip Ø10
6	6	T1P52MI-A-024003	2	Rocker shaft
6	7	TOR00069	1	Circlip Ø42
6	8	T1P52MI-A-024001	1	Rocker levers support
6	9	T1P52MI-A-024200	2	Lever
6	10	T152MI-021005	2	Locating bush Ø10×14
6	11	T1P39MB-022015	2	Timing pinion sec. bolt
6	12	T152MI-022007	1	Exhaust valve
6	13	T152MI-022500	2	Valve grommet
6	14	T152MI-022001	2	Stop washer
6	15	T1P52MI-022003	2	Valve outer spring
6	16	T152MI-022004	2	Valve inner spring
6	17	T152MI-022005	2	Valve return spring
6	18	T152MI-022006	4	Half cone
6	19	T152MI-022002	1	Valve, in




7	1	T1P52MI-A-022300	1	Cylinder head
7	2	T152MI-022018	1	O-Ring 27×2
7	3	T152MI-022019	1	Packing
7	4	T152MI-022016	1	O-Ring 29.7×2.8
7	5	T1P39MB-022019	2	Tube
7	6	TOR00074	4	Clamp A6.5
7	7	T152MI-080013	2	Bolt M6×22
7	8	T1P52MI-A-022100	1	Induction pipe
7	9	T152MI-023008	1	Bolt M6×18
7	10	T152MI-022200	1	Clamp
7	11	T1P52MI-A-022600	1	Water temperature sensor
7	14	T152MI-090005	2	Bolt M6×16
7	15	T152MI-022801	1	Thermostat cover
7	16	T152MI-022802	1	Oil seal
7	17	T152MI-022810	1	Bimetal, thermostatic
7	18	T152MI-022803	1	Thermostat case
7	19	T152MI-022804	1	O-Ring 14.8×1.9
7	20	T1P39MB-022017	1	T coupling
7	21	T172MM-022400	1	Spark plug
7	22	T152MI-022012	4	Washer Ø8
7	23	T152MI-022013	4	Acorn nut
7	24	T172MM-022007	2	Exhaust pipe stud
7	25	TOR00065	2	Washer 6-D-Cr
7	26	T152MI-021017	2	Bolt M6×25
7	27	T152MI-021005	2	Locating bush Ø10×14
7	28	T1P52MI-022011	1	Cylinder head gasket
7	29	T152MI-022303	1	Plug




8	1	T1P52MI-023100	1	Cylinder
8	2	T152MI-080013	1	Bolt M6×22
8	3	T1P52MI-023005	1	Cylinder gasket
8	4	T152MI-021005	2	Locating bush Ø10×14
8	5	TOR00077	2	Clamp B20
8	6	T1P52MI-A-023007	1	Water intake pipe
8	7	TOR00065	1	Washer 6-D·Cr




9	1	T1P52MI-A-031000	1	Rotor
9	2	T1P52MI-A-032000	1	Backplate
9	3	T152MI-033000	1	Pick-up
9	4	T152MI-030002	2	Bolt M5×16
9	5	T152MI-030001	1	Grommet
9	6	T152MI-030003	3	Bolt M5×30
9	7	T152MI-051004	1	Washer 14×28×2
9	8	T152MI-040008	1	Nut M14×1.25
9	9	T152MI-090006	3	Screw M6×12
9	10	T152MI-092000	1	Clutch




10	1	T1P52MI-A-041000	1	Crankshaft, assy.
10	2	T1P58MJ-040004	1	Lower piston ring
10	3	T1P58MJ-040005	1	Upper piston ring
10	4	T1P58MJ-042000	1	Scraper ring
10	5	T1P52MI-040001	1	Piston
10	6	T152MI-040002	1	Wrist pin
10	7	T152MI-040011	1	Oil channel joint
10	8	T152MI-040010	1	Spring
10	9	T152MI-040006	1	Key
10	10	T152MI-040003	2	Circlip, piston pin
10	11	T152MI-040009	1	Pin 2X11.5




11	0	T1P52MI-A-051000	1	Pulley, assy.
11	1	T1P52MI-A-051001	1	Pulley hub
11	2	T1P52MI-A-051002	1	Fast pulley-half
11	3	T152MI-051004	1	Washer 14×28×2
11	4	T172MM-051007	1	Nut M14×1.5
11	5	T1P52MI-A-051110	6	Roller
11	6	T1P52MI-A-051101	1	Sliding pulley-half
11	7	T1P52MI-A-051102	1	Bush
11	8	T1P52MI-A-051103	1	Clamp
11	9	T1P52MI-A-051104	1	Roller housing
11	10	T1P52MI-A-051105	3	Shoe




12	0	T1P52MI-A-052000	1	Clutch assy
12	1	T1P52MI-A-052100	1	Driven half pulley
12	2	T1P52MI-A-052200	1	Driven half pulley
12	3	T1P52MI-A-052001	1	Bush
12	4	T1P52MI-A-052005	1	Plastic washer
12	5	T1P52MI-A-052006	1	Washer
12	6	T1P52MI-A-052002	1	Clutch spring
12	7	T1P52MI-A-052003	3	Pin
12	8	T1P52MI-A-052004	3	Roller guide
12	9	T172MM-052310	1	Bearing 22×29×18
12	10	T1P52MI-A-052300	2	Stop washer
12	11	TOR00031	1	Bearing 61902
12	12	TOR00071	1	Circlip 28A
12	13	T1P52MI-A-052009	2	O-Ring
12	14	T1P52MI-A-052008	1	Clamp
12	15	T1P52MI-A-052007	1	Special nut
12	16	T1P52MI-A-052400	2	Clutch case
12	17	T172MM-052008	1	Nut M12×1.25
12	18	T1P52MI-A-052503	3	Circlip 7
12	19	T1P52MI-A-052510	1	Clutch hub
12	20	T1P52MI-A-052501	1	Anchor plate
12	21	T1P52MI-A-052520	3	Clutch shoe
12	22	T1P52MI-A-052502	3	Brake shoe spring
12	23	T1P52MI-A-052530	3	Rubber buffer
12	24	T1P52MI-A-053000	1	Toothed belt




13	1	T1P52MJ-060002	1	Mainshaft
13	2	TOR00029	1	Bearing 6301
13	3	T1P52MI-A-060002	1	Lay shaft
13	4	T1P58MI-060003	1	Intermediate gear
13	5	T1P52MI-A-060004	1	Washer 12
13	6	TOR00026	1	Bearing 6201
13	7	T1P52MI-A-061000	1	Counter shaft
13	8	T172MM-011009	1	Stop washer 34×52×5
13	9	TOR00028	1	Bearing 6205LLU
13	10	T1P52MI-A-060005	1	Packing for gear box
13	11	T1P52MI-A-060006	1	Gear box
13	12	T152MI-021005	2	Locating bush Ø10×14




14	1	T152MI-021019	1	Bolt M6X12
14	2	T1P52MI-072000	1	Crankcase oil pump
14	3	TOR00070	1	Circlip 10
14	4	T152MI-070001	1	Oil pump gear
14	5	T152MI-073000	1	Oil pump chain
14	6	T1P52MI-070002	1	Crankcase oil pump
14	7	T152MI-070003	2	Bolt M6×28
14	8	T152MI-071001	1	Oil pump shaft
14	9	T152MI-071002	1	Oil pump body
14	10	T152MI-071005	1	External rotor oil pump
14	11	T152MI-071006	1	Locating bush Ø4×6.5
14	12	T152MI-071003	1	Oil pump cover
14	13	TOR00066	1	Screw M3×12
14	14	T152MI-071004	1	Internal rotor oil pump
14	15	T152MI-071000	1	Oil pump assembly




15	1	T152MI-080003	1	Coolant punp shaft
15	2	TOR00024	1	Bearing 6000/P6
15	3	TOR00068	1	Circlip 26
15	4	T152MI-080012	2	Bolt M6×32
15	5	T152MI-080013	2	Bolt M6×22
15	6	T152MI-080010	1	Bolt M6×10
15	7	T152MI-080011	1	Washer 6×12×1
15	8	T152MI-080005	1	Water pump cover
15	9	T152MI-080004	1	Water pump cover gasket
15	10	T152MI-080008	2	Locating bush Ø8×14
15	11	T152MI-080006	1	Rotor
15	12	T152MI-080007	1	Washer 7.5×13×1.2
15	13	T152MI-081000	1	Mechanical seal
15	14	T152MI-080009	1	Oil seal 12×20×5
15	15	TOR00030	1	Bearing 6901/P6




16	1	T1P52MI-093000	1	Starter motor
16	2	T152MI-090002	1	Intermediate gear pin
16	3	T152MI-090001	1	Idler Gear
16	4	T152MI-090004	1	Bracket
16	5	T152MI-021019	1	Bolt M6X12
16	6	T152MI-091000	1	Starter driven gear
16	7	T152MI-090005	2	Bolt M6×16




17	1	T1P52MI-A-100000	1	Carburettor assy.
----	---	------------------	---	-------------------




18	1	T501-010100	1	Battery cover
18	2	TOR00015	5	Bolt M6X16
18	3	T501-010200	1	Fuel tank bracket
18	4	TOR00034	2	Bolt M6
18	5	TOR00018	2	Bolt M6X55
18	6	T501-010300	1	Frame
18	7	T501-010400	1	Front right foot peg support bracket
18	8	TOR00019	4	Bolt M8X12
18	9	T501-010500	1	Rear right foot peg support bracket
18	10	TOR00020	4	Bolt M8X16
18	11	T501-010600	1	Front left foot peg support bracket
18	12	T501-010700	1	Clip
18	13	T501-010800	1	Front right foot peg support bracket
18	14	TOR00011	2	Bolt M10X50
18	15	TOR00032	3	Nut M10
18	16	T501-010900	1	Damper mount hanger pin
18	17	T501-011000	1	Damper mount hanger




19	1	TOR00043	4	Fender fastening screw M6×20
19	2	T501-020100	1	R.H. fork leg assembly
19	3	T501-020200	1	L.H. fork leg assembly
19	4	TOR00010	2	Bolt M10X45
19	5	TOR00009	2	Bolt M10X40
19	6	T501-020300	1	Steering stem
19	7	T501-020400	1	Lower cover, lower bearing
19	8	T501-020500	1	Ball cage
19	9	T501-020600	1	Upper cover, lower bearing
19	10	T501-020700	1	Lower cover, upper bearing
19	11	T501-020800	1	Ball cage
19	12	T501-020900	1	Upper cover, upper bearing
19	13	T501-021000	1	Washer
19	14	T501-021100	1	Nut
19	15	T501-021200	1	Front mudguard
19	16	TOR00042	2	Screw M5X12
19	17	T501-021300	2	Washer
19	18	T501-021400	1	Tool box




20	1	T501-030100	1	Front wheel axle
20	2	T501-030200	1	Speed.dr.p.
20	3	T501-030300	2	Bearing 5201-RZ
20	4	T501-030400	1	Guard ring
20	5	T501-030500	1	Inner spacer
20	6	T501-030600	1	Tyre 100/80-16
20	7	T501-030700	1	Front wheel rim
20	8	T501-030800	1	Valve
20	9	TOR00039	4	Flanged nut M12X1.25
20	10	T501-030900	1	Packing
20	11	T501-031000	1	L.H. spacer




21	1	T501-040100	1	Central stand
21	2	T501-040200	1	Central stand rubber ring
21	3	TOR00008	2	Bolt M10X25
21	4	T501-040300	2	Bush
21	5	TOR00015	1	Bolt M6X16
21	6	T501-040400	1	Right foot rest spring
21	7	T501-040500	1	Bolt
21	8	T501-040600	1	Rear left foot peg support bracket
21	9	T501-040700	1	Rear right foot peg support bracket
21	10	T501-040800	2	Pin 1.6X24
21	11	T501-040900	2	Washer Ø6
21	12	T501-041000	2	Pin
21	13	T501-041200	2	Underfootrest R.H.
21	14	T501-041300	2	Rear R.H. foot peg
21	15	T501-041400	1	Rear L.H. foot peg
21	16	T501-041500	1	Underfootrest L.H.
21	17	T501-041600	1	Central stand spring
21	18	T501-041700	1	Left foot rest spring




22	1	T501-050100	1	Water tank plug
22	2	TOR00015	2	Bolt M6X16
22	3	T501-050200	1	Air intake
22	4	T501-050300	1	Plug
22	5	T501-050400	1	Water tank
22	6	T501-050500	1	Pipe
22	7	T501-050600	8	Clamp
22	8	T501-050700	1	Rubber hose
22	9	T501-050800	2	Sheath
22	10	TOR00014	1	Screw M6X12
22	11	T501-050900	1	3-way connection
22	12	T501-051000	1	Rubber hose
22	13	T501-051100	1	Radiator
22	14	T501-051200	2	Washer
22	15	TOR00017	2	Screw M6X25
22	16	T501-051300	1	Rubber hose
22	17	T501-051400	1	Rubber hose
22	18	T501-051500	1	Rubber hose
22	19	T501-051600	1	Engine




23	1	TOR00009	2	Bolt M10X40
23	2	TOR00032	2	Nut M10
23	3	T501-060100	2	Rear shock absorber
23	4	TOR00022	2	Bolt M8X32
23	5	T501-060200	1	Outer plate
23	6	T501-060300	1	Packing
23	7	T501-060400	1	Suspension arm
23	8	T501-060500	1	Roller cage
23	9	T501-060600	1	Bearing 6303RS
23	10	T501-060700	1	Circlip 47
23	11	T501-060800	1	Packing
23	12	T501-060900	1	Bush
23	13	TOR00012	2	Bolt M10X55




24	1	T501-070100	1	Spacer
24	2	T501-070200	1	Valve
24	3	T501-070300	1	Inner spacer
24	4	T501-070400	2	Tyre
24	5	T501-070500	2	Rear wheel rim
24	6	TOR00035	1	Flanged nut M16




25	1	TOR00016	1	Bolt M6X20
25	2	T501-080100	1	Horn
25	3	TOR00034	1	Bolt M6
25	4	T501-080200	1	Screw M5X10
25	5	T501-080300	1	Speedometer transmission
25	6	T501-080400	1	Spark plug cable
25	7	TOR00015	4	Bolt M6X16
25	8	T501-080500	1	Ignition switch
25	9	T501-080600	1	Cable harness
25	10	T501-080700	1	Fuse holder
25	11	T501-080800	1	Electronic control unit
25	12	T501-080900	1	Starter relay
25	13	T501-081000	1	Regulator
25	14	T501-081100	1	Unit turn signal lamps
25	15	TOR00038	1	Screw M5X16
25	16	T501-081200	1	Saddle clamp cable




26	1	T501-090100	1	Muffler, assy.
26	2	TOR00006	1	Flanged bolt M10x55
26	3	TOR00006	2	Flanged bolt M10x55
26	4	TOR00054	2	Acorn nut M8x25
26	5	T501-090200	1	Spring Washer
26	6	T501-090300	1	Exhaust manifold gasket M16
26	7	T501-090400	1	Heat guard
26	8	T501-090500	1	Heat guard protection
26	9	TOR00006	2	Flanged bolt M10x55




27	1	T501-100100	1	Air cleaner box
27	2	T501-100200	1	Filtering element
27	3	T501-100300	1	Panel
27	4	TOR00064	7	Self tapping screw ST4.2X16
27	5	TOR00062	2	Bolt M6X25
27	6	TOR00063	2	Screw M5X10
27	7	T501-100400	1	Oil tube




28	1	T501-110100	1	Rear mudguard
28	2	TOR00046	1	Self tapping screw ST4.2x12
28	3	TOR00049	1	Self tapping screw ST4.8x17
28	4	T501-110200	1	Rear wheelhouse
28	5	TOR00015	6	Bolt M6X16




29	1	T501-121100	1	L.H. rear-view mirror
29	2	T501-121200	1	R.H. rear-view mirror
29	3	T501-120200	1	Grip, L.H.
29	4	T501-120300	1	Handlebars, assy.
29	5	TOR00032	1	Nut M10
29	6	TOR00007	1	Flanged bolt M10X50
29	7	T501-120400	1	Washer
29	8	T501-120500	1	Throttle control
29	9	T501-120600	1	Throttle control cover
29	10	T501-120700	1	Throttle sleeve
29	11	T501-120800	1	Throttle control transmission
29	12	T501-120900	1	Throttle twist grip




30	1	T501-130100	1	Front brake system
30	2	T501-130200	1	U bolt
30	3	TOR00004	2	Flanged bolt M6×22
30	4	T501-130300	1	Brake master cyl.
30	5	T501-130400	1	Brake lever
30	6	T501-130500	1	Lever sec. bolt
30	7	TOR00036	1	Flanged nut M6
30	8	T501-130600	1	Stop switch
30	9	T501-130700	1	Wire
30	10	TOR00040	1	Screw M4×12
30	11	TOR00057	1	Washer Ø4
30	12	TOR00056	1	Spring Washer Ø4
30	13	T501-130800	2	Banjo bolt
30	14	T501-130900	4	Copper gasket
30	15	T501-131000	1	Front brake pipe
30	16	T501-131100	1	Clip
30	17	T501-131200	1	Caliper
30	18	TOR00005	2	Flanged bolt M8×25
30	19	T501-131300	1	ABS System
30	20	T501-131400	1	Pads pair
30	21	T501-131500	2	Pin
30	22	T501-131600	1	Brake plate
30	23	TOR00041	5	Screw M6×25




31	1	T501-140100	1	Fuel level gauge
31	2	T501-140200	1	Packing
31	3	T501-140300	1	Clamp
31	4	T501-140400	1	Fuel pipe
31	5	T501-140500	1	Fuel cock
31	6	T501-140600	5	Clip
31	7	T501-140700	2	Fuel pipe
31	8	TOR00033	1	Nut M14
31	9	T501-140800	1	Fuel filter
31	10	T501-140900	1	Filler cap
31	11	T501-141000	1	Packing for cap
31	12	T501-141100	1	Fuel tank
31	13	T501-141200	1	Oil tube
31	14	TOR00015	2	Bolt M6X16
31	15	TOR00020	4	Bolt M8X16
31	16	T501-141300	1	Fuel tank bracket




32	1	T501-150100	1	Headlamp, assy
32	2	TOR00046	2	Self tapping screw ST4.2x12
32	3	T501-150300	1	Headlamp support bracket
32	4	T501-150400	1	Headlamp bulb
32	5	T501-150500	1	Bulb socket
32	6	T501-150600	1	Side/taillight bulb 12V 5W
32	7	T501-150700	1	Wire
32	8	T501-150800	1	Screw M5X16
32	9	TOR00058	1	Washer Ø5
32	10	T501-150900	1	Plate M5




33	1	TOR00051	2	Self tapping screw ST3.8X9
33	2	T501-160100	1	Rear LH turn signal lens
33	3	T501-160200	1	Rear lamp glass
33	4	T501-160300	1	Rear RH turn signal lens
33	5	T501-160400	2	Bulb for trafficator light 12V12W
33	6	T501-160500	1	Tail lamp bulb 12V21/5W
33	7	T501-160600	1	Headlamp body
33	8	TOR00052	4	Self tapping screw ST4.2X13
33	9	T501-160700	1	Tail lamp cable harness




34	1	T501-170100	1	LH front turn signal
34	2	T501-170200	1	RH front turn signal
34	3	T501-170300	1	Front LH turn signal lens
34	4	T501-170400	1	Front RH turn signal lens
34	5	T501-170500	4	Bulb
34	6	T501-170600	2	Blinkers wiring
34	7	TOR00046	4	Self tapping screw ST4.2x12




35	1	T501-180100	1	Fairing,RH.
35	2	TOR00078	8	Self tapping screw ST4.2
35	3	T501-180200	1	Fairing,LH.
35	4	T501-180300	1	Spoiler
35	5	TOR00046	16	Self tapping screw ST4.2x12
35	6	TOR00023	1	Bolt M8X35




36	1	T501-190100	1	Radiator grill
36	2	TOR00044	13	Self tapping screw ST4.2x12
36	3	T501-190200	2	Screw M6x16
36	4	T501-190300	1	Front. cover
36	5	T93253	5	Plate ST4.2
36	6	T501-190400	1	R.H. protection
36	7	T501-190500	1	L.H. protection
36	8	T501-190600	1	Grill




37	1	T501-200100	1	Saddle
37	2	T501-200200	1	Saddle pin
37	3	TOR00034	1	Bolt M6
37	4	T501-200300	1	Helmet housings
37	5	T501-200400	1	Saddle lock body
37	6	TOR00013	2	Flanged bolt M6X16
37	7	TOR00072	4	Washer Ø6
37	8	TOR00055	1	Nut M6
37	9	T501-200500	1	Reservoir Lid
37	10	TOR00045	2	Self tapping screw ST4.2×12




38	1	T501-210100	1	Meter assy, combination
38	2	TOR00045	3	Self tapping screw ST4.2×12
38	3	T501-210200	1	Meter assy wiring




39	1	T501-220100	1	Battery 12V7A
39	2	TOR00047	1	Self tapping screw ST4.8X12
39	3	T501-220200	1	Battery sec. strap
39	4	TOR00079	1	Plate ST4.8
39	5	T501-220300	1	Battery cover
39	6	TOR00013	2	Flanged bolt M6X16




40	1	T501-230100	1	Footrest
40	2	TOR00016	4	Bolt M6X20
40	3	TOR00048	5	Self tapping screw ST4.8X12
40	4	TOR00080	2	Self tapping screw ST4.8




41	1	T501-240100	1	Rear lugg. carrier
41	2	TOR00021	3	Bolt M8X25




42	1	TOR00048	2	Self tapping screw ST4.8X12
42	2	T501-250100	1	Horn support bracket
42	3	T501-250200	1	Container door
42	4	T501-250300	1	Cover, L.H.
42	5	T501-250400	1	Cover, R.H.
42	6	TOR00050	2	Self tapping screw ST4.8X20
42	7	T501-250500	1	Container door lock
42	8	T501-250600	1	Clip
42	9	TOR00053	1	Self tapping screw ST4.8×18
42	10	T501-250700	1	Front glove comp.
42	11	T501-250800	1	Hook for helmet
42	12	T501-250900	1	L.H. protection
42	13	T501-251000	1	R.H. protection




43	1	T501-260100	1	Rim for headlamp
43	2	T501-260200	1	Front handlebars cover
43	3	T501-260300	1	Rear handlebars cover
43	4	TOR00045	6	Self tapping screw ST4.2×12
43	5	T501-260400	1	Lights switch
43	6	T501-260500	1	Starting button
43	7	T501-260600	1	Lights switch
43	8	T501-260700	1	Horn button
43	9	T501-260800	1	Turn signal lamps switch



44	1	T501-270100	1	Rear brake system
44	2	T501-270200	1	U bolt
44	3	TOR00004	2	Flanged bolt M6×22
44	4	T501-270300	1	Rear brake master cyl.
44	5	T501-270400	1	Lever LH
44	6	T501-270500	1	Lever sec. bolt
44	7	TOR00036	1	Flanged nut M6
44	8	T501-270600	1	Stop switch
44	9	T501-270700	1	Wire
44	10	TOR00040	1	Screw M4×12
44	11	TOR00057	1	Washer Ø4
44	12	TOR00056	1	Spring Washer Ø4
44	13	T501-270800	2	Banjo bolt
44	14	T501-270900	4	Copper gasket
44	15	T501-271000	1	Rear brake pipe
44	16	T501-271100	1	Grommet
44	17	T501-271200	1	Rear disk brake caliper
44	18	TOR00002	2	Flanged bolt 8×25
44	19	T501-271300	1	ABS System
44	20	T501-271400	1	Pads pair
44	21	T501-271500	2	Pin
44	22	T501-271600	1	Rear brake disc
44	23	T501-271700	3	Brake disc fastening screw



45	1	T501-280100	1	Water tank cover
45	2	T501-280200	1	Water tank cover
45	3	TOR00045	4	Self tapping screw ST4.2×12
45	4	TOR00003	2	Flanged bolt M6×16



46	1	T501-280100	1	Tool Kit
46	2	T501-280200	1	Water tank cover
46	3	T501-280300	1	Pliers 165
46	4	T501-280400	1	Allen wrench
46	5	T501-280500	1	Monkey wrench 10-12
46	6	T501-280600	1	Spark plug wrench
46	7	T501-280700	1	Screwdriver
46	8	T501-280800	1	Monkey wrench 12-14